

## HMRZ.EX26569 - Gate Valves

## Gate Valves

[See General Information for Gate Valves](#)**ATUSA GRUPO EMPRESARIAL S A**

POL IND ATUSA-AGURAIN S/N

SALVATIERRA

01200 ALAVA, SPAIN

EX26569

Pattern	Model	Size, in.	End Configuration	Rated Pressure, psig
OS&Y	670-300 Gate valves(RS), flanged ANSI	2, 2.5, 3, 4, 5, 6, 8, 10, 12	F by F (ANSI Flange)	300
OS&Y	670-250 Gate valves(RS), flanged ANSI	2, 2.5, 3, 4, 5, 6, 8, 10, 12	F by F (ANSI Flange)	250
OS&Y	670-200 Gate valves(RS), flanged ANSI	2, 2.5, 3, 4, 5, 6, 8, 10, 12	F by F (ANSI Flange)	200
OS&Y	670-PN16-300 Gate valves(RS), flanged BS	2, 2.5, 3, 4, 5, 6, 8	F by F (BS Flange)	300
OS&Y	670-PN16-250 Gate valves(RS), flanged BS	10, 12	F by F (BS Flange)	250
OS&Y	670-PN16-200 Gate valves(RS), flanged BS	2, 2.5, 3, 4, 5, 6, 8, 10, 12	F by F (BS Flange)	200
NRS	660-300 Gate valves(NRS), flanged ANSI	2.5, 3, 4, 5, 6, 8, 10, 12	F by F (ANSI Flange)	300
NRS	660-250 Gate valves(NRS), flanged ANSI	2.5, 3, 4, 5, 6, 8, 10, 12	F by F (ANSI Flange)	250
NRS	660-200 Gate valves(NRS), flanged ANSI	2.5, 3, 4, 5, 6, 8, 10, 12	F by F (ANSI Flange)	200
NRS	660-PN16-300 Gate valves(NRS), flanged BS	2.5, 3, 4, 5, 6, 8	F by F (BS Flange)	300
NRS	660-PN16-250 Gate valves(NRS), flanged BS	10, 12	F by F (BS Flange)	250
NRS	660-PN16-200 Gate valves(NRS), flanged BS	2.5, 3, 4, 5, 6, 8, 10, 12	F by F (BS Flange)	200
OS&Y	610-300 Gate valves(RS), grooved	2, 2.5, 3, 4, 5, 6, 8, 10, 12	G by G	300
OS&Y	610-250 Gate valves(RS), grooved	2, 2.5, 3, 4, 5, 6, 8, 10, 12	G by G	250
OS&Y	610-200 Gate valves(RS), grooved	2, 2.5, 3, 4, 5, 6, 8, 10, 12	G by G	200
OS&Y	610-PN16-300 Gate valves(RS), grooved	2, 2.5, 3, 4, 5, 6, 8	G by G	300

OS&Y	610-PN16-250 Gate valves(RS), grooved	10, 12	G by G	250
OS&Y	610-PN16-200 Gate valves(RS), grooved	2, 2.5, 3, 4, 5, 6, 8, 10, 12	G by G	200
NRS	600-300 Gate valves(NRS), grooved	2.5, 3, 4, 5, 6, 8, 10, 12	G by G	300
NRS	600-250 Gate valves(NRS), grooved	2.5, 3, 4, 5, 6, 8, 10, 12	G by G	250
NRS	600-200 Gate valves(NRS), grooved	2.5, 3, 4, 5, 6, 8, 10, 12	G by G	200
NRS	600-PN16-300 Gate valves(NRS), grooved	2.5, 3, 4, 5, 6, 8	G by G	300
NRS	600-PN16-250 Gate valves(NRS), grooved	10, 12	G by G	250
NRS	600-PN16-200 Gate valves(NRS), grooved	2.5, 3, 4, 5, 6, 8, 10, 12	G by G	200
OS&Y	690-300 Gate valves(RS), flanged ANSI x grooved	2, 2.5, 3, 4, 5, 6, 8, 10, 12	F by G (ANSI Flange)	300
OS&Y	690-250 Gate valves(RS), flanged ANSI x grooved	2, 2.5, 3, 4, 5, 6, 8, 10, 12	F by G (ANSI Flange)	250
OS&Y	690-200 Gate valves(RS), flanged ANSI x grooved	2, 2.5, 3, 4, 5, 6, 8, 10, 12	F by G (ANSI Flange)	200
OS&Y	690-PN16-300 Gate valves(RS), flanged BS x grooved	2, 2.5, 3, 4, 5, 6, 8	F by G (BS Flange)	300
OS&Y	690-PN16-250 Gate valves(RS), flanged BS x grooved	10, 12	F by G (BS Flange)	250
OS&Y	690-PN16-200 Gate valves(RS), flanged BS x grooved	2, 2.5, 3, 4, 5, 6, 8, 10, 12	F by G (BS Flange)	200
NRS	680-300 Gate valves(NRS), flanged ANSI x grooved	2.5, 3, 4, 5, 6, 8, 10, 12	F by G (ANSI Flange)	300
NRS	680-250 Gate valves(NRS), flanged ANSI x grooved	2.5, 3, 4, 5, 6, 8, 10, 12	F by G (ANSI Flange)	250
NRS	680-200 Gate valves(NRS), flanged ANSI x grooved	2.5, 3, 4, 5, 6, 8, 10, 12	F by G (ANSI Flange)	200
NRS	680-PN16-300 Gate valves(NRS), flanged BS x grooved	2.5, 3, 4, 5, 6, 8	F by G (BS Flange)	300
NRS	680-PN16-250 Gate valves(NRS), flanged BS x grooved	10, 12	F by G (BS Flange)	250
NRS	680-PN16-200 Gate valves(NRS), flanged BS x grooved	2.5, 3, 4, 5, 6, 8, 10, 12	F by G (BS Flange)	200
NRS	662-300	4, 5, 6, 8, 10, 12	F by F (ANSI Flange)	300
NRS	662-PN16	4, 5, 6, 8, 10, 12	F by F (DIN Flange)	233

NRS	662-PN10	8, 10, 12	F by F (DIN Flange)	175
NRS	602	4, 6, 8, 10, 12	G by G	300
NRS	695	3, 4, 6, 8, 10, 12	MJ by MJ	300
NRS	697	4, 6, 8, 10, 12	MJ by MJ	300
NRS	696	3, 4, 6, 8, 10, 12	F BY MJ	300
NRS	698	4, 6, 8, 10, 12	F BY MJ	300

Last Updated on 2018-12-18

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"